# Northeast Yell County Water Association 2023 Annual Drinking Water Quality Report

We're pleased to present to you this year's Annual Drinking Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our goal is to provide you with a safe and dependable supply of drinking water, and we want you to understand, and be involved in, the efforts we make to continually improve the water treatment process and protect our water resources.

## Where Does Our Drinking Water Come From?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. We purchase treated water from Danville Water Department and Dardanelle Waterworks. Water from Danville comes from two treatment facilities: The Cedar Piney Plant which treats surface water from Cedar Piney Reservoir and the Dale Scott Plant which treats surface water from the Petit Jean River. Dardanelle Waterworks' sources are nine wells that pump from the Quaternary System Aquifer. Dardanelle also purchases water from Tri-County Regional Water Distribution District. Tri-County Regional purchases treated surface water from City Corporation of Russellville. City Corporation's source is Illinois Bayou which supplies Huckleberry Creek Reservoir. They also purchase treated water from the City of Atkins whose source is surface water from Gala Creek Lake.

## How Safe Is The Source Of Our Drinking Water?

The Arkansas Department of Health has completed Source Water Vulnerability Assessments for Dardanelle Water Department and Danville Water Department. The assessments summarize the potential for contamination of our sources of drinking water and can be used as a basis for developing source water protection plans. Based on the various criteria of the assessments, our water sources have been determined to have a medium to high susceptibility to contamination. You may request summaries of the Source Water Vulnerability Assessments from our office.

### What Contaminants Can Be In Our Drinking Water?

As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: <u>Microbial contaminants</u> such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; <u>Inorganic contaminants</u> such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; <u>Pesticides and herbicides</u> which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; <u>Organic chemical contaminants</u> including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; <u>Radioactive contaminants</u> which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to assure tap water is safe to drink, EPA has regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

#### Am I at Risk?

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. However, some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from small amounts of contamination. These people should seek advice about drinking water from their health care providers. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791. In addition, EPA/CDC guidelines on appropriate means to lessen the risk of infection by microbiological contaminants are also available from the Safe Drinking Water Hotline.

## Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

#### How Can I Learn More About Our Drinking Water?

If you have any questions about this report or concerning your water utility, please contact Shane Young, Manager, at 479-229-2800. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Thursday of every month at 6:00 PM at the water office, 2443 State Hwy 22 W in Dardanelle.

#### **TEST RESULTS**

We, Danville Water Department, Dardanelle Water Department, City Corporation, and Tri County Water routinely monitor constituents in your drinking water according to Federal and State laws. The test results table shows the results of our monitoring for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2023. In the table you might find terms and abbreviations you are not familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Maximum Contaminant Level (MCL)** - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal (MCLG)** – unenforceable public health goal; the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Maximum Residual Disinfectant Level (MRDL)** - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG)** - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. **NA** – not applicable

**Nephelometric Turbidity Unit (NTU)** – a unit of measurement for the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**Parts per billion (ppb)** - a unit of measurement for detected levels of contaminants in drinking water. One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

**Parts per million (ppm)** – a unit of measurement for detected levels of contaminants in drinking water. One part per million corresponds to one minute in two years or a single penny in \$10,000.

|                                       |                            |                               |                   |  | TUR                      | BIDIT       | Y     |                              |    |  |           |  |  |
|---------------------------------------|----------------------------|-------------------------------|-------------------|--|--------------------------|-------------|-------|------------------------------|----|--|-----------|--|--|
| Contaminant                           |                            | Violation<br>Y/N              |                   | Level Detected   |                          |             | Unit  | MCLG<br>(Public Health Goal) |    | MCL<br>(Allowable Level)   |           | Major Sources in<br>Drinking Water   |  |
|                                       |                            | 1/1                           | Hig               | ghest yearly samp  | le result:               | 0.80        |       | (Public Hea                  |    | Any measurement in   |           |  |  |
| Turbidity<br>(Danville Cedar-Piney W  | TP)                        |                               |                   | Lowest monthly % of samples meeting the turbidity limit: 94%   |                          |             |       |                              |    | excess of 1 NTU<br>constitutes a<br>violation  |           |  |  |
| Turbidity                             |                            | N                             |                   | ghest yearly samp<br>west monthly % o  |                          |             |       |                              |    | VIOIA  | uon       | _  |  |
| (Danville Dale Scott WTP)             | )                          | IN                            | me                | meeting the turbidity limit: 97%<br>Highest yearly sample result: 0.08                                 |                          |             |       | NA                           |    |  |           |  |  |
| Turbidity<br>(Atkins)                 | Ν                          |                               | Lo                | Lowest monthly % of samples<br>meeting the turbidity limit: 100%                                       |                          |             | NTU   |                              |    | A value less th<br>95% of sample<br>meeting the lim<br>0.3 NTU, constit<br>a violation |           | Soil runoff  |  |
| Turbidity<br>(Tri-County)             |                            |                               | Hie<br>Lo         | Highest yearly sample result: 0.30<br>Lowest monthly % of samples<br>meeting the turbidity limit: 100% |                          |             | •     |                              |    |  |           |  |  |
| Turbidity<br>(City Corporation)       |                            | Ν                             | Lo                | ghest yearly samp<br>west monthly % o<br>eeting the turbidity  | f samples<br>/ limit: 10 | 0%          |       |                              |    |  |           |  |  |
|                                       |                            |                               |                   | cloudiness of wate<br>cator of the effect  |                          |             |       |                              |    | ri-County R  | egional a | and Dardanelle   |  |
|                                       | ise it i                   | is a youu                     | muic              |  |                          |             |       |                              | 5. |  |           |  |  |
| Contaminant                           | -                          | Diation<br>Y/N Level Detected |                   | Unit   |                          | MC          |       | MCL<br>(Allowable Level)     |    | Major Sources in Drinking<br>Water   |           |  |  |
| Strontium-89<br>(Dardanelle)          |                            | N                             |                   | 1.45   |                          |             |       |                              |    |  |           | ecay of natural deposits   |  |
| Strontium-90<br>(City Corporation)    |                            | Ν                             |                   | 216 p  |                          | Ci/L        |       | Ą                            |    | NA   | Decay o   |  |  |
| Tritium<br>(Dardanelle)<br>Tritium    |                            | Ν                             |                   | 0.831  |                          |             |       |                              |    |  |           |  |  |
| (City Corporation)                    |                            | Ν                             |                   | 124  |                          |             |       |                              |    |  |           |  |  |
|                                       |                            | Violati                       | <u></u>           | INO  | RGANIC                   | CONT        | AMINA | MCLG                         |    | MCL  |           | Major Sources in   |  |
| Contaminant                           |                            | Violation<br>Y/N              |                   | Level Detected   |                          | Unit (Publi |       | c Health Goal)               |    | (Allowable Level)  |           | Drinking Water   |  |
| Fluoride<br>(Dardanelle Dale Scott V  | VTP)                       | N                             |                   | Average: 0.77<br>Range: 0.63 - 0.9   | 01                       |             |       |                              |    |  |           |  |  |
| Fluoride<br>(City Corp.)              |                            | Ν                             |                   | Average: 0.80<br>Range: 0.68 - 0.88  |                          | ppm         |       | 4                            |    | 4  |           | Erosion of natural<br>deposits; water<br>additive which<br>promotes strong |  |
| Fluoride<br>(Atkins)                  |                            | N                             |                   | Average: 0.73<br>Range: 0.68 - 0.79  |                          |             |       |                              |    |  |           |  |  |
| Fluoride<br>(Tri-County)              |                            | N                             | Range: 0.58 – 0.8 |  | 7                        |             |       |                              |    |  | tee       | teeth  |  |
|                                       | nville – Cedar-Piney WTP)  |                               |                   | Average: 0.36<br>Range: 0 - 0.85   |                          | _           |       |                              |    |  |           | _  |  |
|                                       | Danville – Dale Scott WTP) |                               |                   | Average: 0.23<br>Range: 0.16 - 0.2   | 9                        | _           |       |                              |    |  |           | noff from fertilizer   |  |
| Nitrate [as Nitrogen]<br>(City Corp.) |                            | N                             |                   | 0.12   |                          | ppm         |       | 10                           | 10 |  |           | use; leaching from septic tanks, sewage;                                   |  |
| Nitrate [as Nitrogen]<br>(Atkins)     |                            | Ν                             |                   | Average: 0.28<br>Range: 0 - 0.56   |                          |             |       |                              |    | 10   |           | erosion of natural<br>deposits   |  |
| Nitrate<br>(Tri-County)               |                            | Ν                             |                   | Average: 0.03<br>Range: 0 - 0.12   |                          |             |       |                              |    |  |           |  |  |

|   |       |                 | L  | EAD AN    | D COPP         | ER TAP MO          | NITO  | DRING        |                                 |                          |   |  |
|---|-------|-----------------|--|-----------|----------------|--------------------|-------|--------------|---------------------------------|--------------------------|---|--|
| Contaminant   |       |                 |  |           | centile<br>ult | Unit               |       | tion<br>evel | Major Sources in Drinking Water |                          |   |  |
| Lead (NE Yell Co Water Assn)  |       | 0 of            | of 20 0.0  |           | 01             | ppm                | 0.    | 015          | Corrosion from                  | m household              | plumbing systems;                       |  |
| Copper (NE Yell Co Water Ass  | sn)   | 0 of            | 20   | 0.0       | 84             | ppm 1.3            |       | 1.3          | erosion of natural deposits     |                          |   |  |
| <ul> <li>We are currently on a<br/>customers' taps. The</li> </ul>                          |       |                 |  |           | •              |                    | •     |              |                                 |                          | ••                                      |  |
|   |       |                 |  |           |                | GANIC CAR          |       |              |                                 |                          |   |  |
| <ul> <li>The percentage of To<br/>requirements set by<br/>formation of disinfect</li> </ul> | USEPA | were n          | net. TÒC l   | hás no he | ealth eff      | ects. How          | ever, | Total        | Organic Carbo                   | on provides a            | a medium for the                        |  |
|   |       |                 |  | REGL      | JLATED         | DISINFEC           | TANT  | 'S           |                                 |                          |   |  |
| Disinfectant  |       | iolation<br>Y/N |  | ected     | Unit           | MRD<br>(Public Hea |       |              | MRDL<br>Allowable Level)        | Major Sour               | lajor Sources in Drinking Water         |  |
| Chlorine<br>(NE Yell Co Water Assn)   |       |                 | verage: 1.01<br>ange: 0.31 - 2.14                    |           | ppm            | 4.0                |       |              | 4.0                             | Water additi<br>microbes | ater additive used to control<br>crobes |  |
|   |       |                 | BY-PRO   | DUCTS O   | F DRIN         | KING WAT           | ER D  | ISINF        | ECTION                          |                          |   |  |
| Contaminant   |       | iolation<br>Y/N | Level Dete   |           |                | cted               |       | Unit         | MCLG<br>(Public Health G        | Goal)                    | MCL<br>(Allowable Level)                |  |
| HAA5 [Haloacetic Acids]<br>(NE Yell Co Water Assn)  |       | Ν               | Highest Running 12 N<br>Range: 7.79 – 25.9           |           |                | Month Average: 19  |       | ppb          | 0                               |                          | 60                                      |  |
| TTHM [Total Trihalomethan<br>(NE Yell Co Water Assn)  | nes]  | Ν               | Highest Running 12 Mont<br>Range: 28.6 – <b>98.5</b> |           |                | Average: 61 ppl    |       | ppb          | NA                              |                          | 80                                      |  |
| <ul> <li>While only the upper<br/>Trihalomethanes in e<br/>systems, and may have</li> </ul> | xcess | of the №        | 1CL over i   | many yea  | ars may        | ,                  |       |              |                                 | •                        | 5                                       |  |

This institution is an equal opportunity provider and employer.