Northeast Yell County Water Association 2018 Annual Drinking Water Quality Report

We're pleased to present to you this year's Annual Drinking Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our goal is to provide you with a safe and dependable supply of drinking water, and we want you to understand, and be involved in, the efforts we make to continually improve the water treatment process and protect our water resources.

Where Does Our Drinking Water Come From?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. We purchase treated water from Danville Water Department and Dardanelle Waterworks. Water from Danville comes from two treatment facilities: the Cedar Piney Plant which treats surface water from Cedar Piney Reservoir and the Dale Scott Plant which treats surface water from the Petit Jean River. Dardanelle Waterworks' sources are nine wells that pump from the Quaternary System Aquifer. Dardanelle also purchases water from Tri-County Regional Water Distribution District. Tri-County Regional purchases treated surface water from City Corporation of Russellville. City Corporation's source is Illinois Bayou which supplies Huckleberry Creek Reservoir. They also purchase treated water from the City of Atkins whose source is surface water from Gala Creek Lake.

How Safe Is The Source Of Our Drinking Water?

The Arkansas Department of Health has completed Source Water Vulnerability Assessments for Dardanelle Water Department and Danville Water Department. The assessments summarize the potential for contamination of our sources of drinking water and can be used as a basis for developing source water protection plans. Based on the various criteria of the assessments, our water sources have been determined to have a medium to high susceptibility to contamination. You may request summaries of the Source Water Vulnerability Assessments from our office.

What Contaminants Can Be In Our Drinking Water?

As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: <u>Microbial contaminants</u> such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; <u>Inorganic contaminants</u> such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; <u>Pesticides and herbicides</u> which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; <u>Organic chemical contaminants</u> including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; <u>Radioactive contaminants</u> which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to assure tap water is safe to drink, EPA has regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Am I at Risk?

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. However, some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from small amounts of contamination. These people should seek advice about drinking water from their health care providers. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791. In addition, EPA/CDC guidelines on appropriate means to lessen the risk of infection by microbiological contaminants are also available from the Safe Drinking Water Hotline.

What is Cryptosporidium?

Cryptosporidium is a microbial pathogen found in surface water throughout the U.S. It lives and reproduces only with the host. In the environment, *Cryptosporidium* exists as a thick walled oocyst, containing four organisms. Monitoring by Atkins Waterworks in 2018 indicated no oocysts in their Galla Creek Lake water source. Monitoring by City Corporation in 2018 indicated the presence of one oocyst in their Illinois Bayou WTP water source in April. City Corporation's Lake Dardanelle source indicated the presence of one oocyst in January, two oocysts in April, and one oocyst in May. Monitoring by Danville Department in 2018 indicated the presence of three oocysts in their Cedar-Piney Lake water source in the month of December. It is important to know that although filtration removes *Cryptosporidium* may cause cryptosporidiosis, an abdominal infection. Symptoms of infection include nausea, diarrhea, and abdominal cramps. Most healthy individuals can overcome the disease within a few weeks. However, immuno-compromised people are at greater risk of developing life threatening illness. We encourage immuno-compromised individuals to consult their doctor regarding appropriate precautions to take to avoid infection. *Cryptosporidium* must be ingested to cause disease, and it may be spread through means other than drinking water. Our monitoring is now complete, and no further action is required.

Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

How Can I Learn More About Our Drinking Water?

If you have any questions about this report or concerning your water utility, please contact Brandon Carter, Manager, at 479-229-2800. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Tuesday of every month at 6:00 PM at the water office, 2443 State Hwy 22 W in Dardanelle.

TEST RESULTS

We, Danville Water Department, Dardanelle Water Department, City Corporation, and Tri County Water routinely monitor for constituents in your drinking water according to Federal and State laws. The test results table shows the results of our monitoring for the period of January 1st to December 31st, 2018. In the table you might find terms and abbreviations you are not familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

City Corp. – Russellville's City Corporation

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) – unenforceable public health goal; the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. **NA** – not applicable

Nephelometric Turbidity Unit (NTU) – a unit of measurement for the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Parts per billion (ppb) - a unit of measurement for detected levels of contaminants in drinking water. One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per million (ppm) – a unit of measurement for detected levels of contaminants in drinking water. One part per million corresponds to one minute in two years or a single penny in \$10,000.

				TURB	IDITY					
Contaminant	Violation Y/N	L	evel Detected		Unit		C LG ealth Goal)	(Allov	MCL able Level)	Major Sources in Drinking Water
Turbidity (Dardanelle)		Highest yea	rly sample resul	t: 0.288						
	N		monthly % of sa he turbidity limit				Any measurement in excess of 1 NTU			
		Highest yearly sample result: 0.29						constitutes a		
Turbidity (Danville – both WTP)	Ν		monthly % of sa he turbidity limit					violation		
Turbidity (City Corp.)		Highest yearly sample result: 0.253 Lowest monthly % of samples meeting the turbidity limit: 100%			NTU	NA	IA	A value less than 95% of samples meeting the limit of 0.3 NTU,		Soil runoff
	Ν									
		Highest yearly sample result: 0.82								
Turbidity (Atkins)	Ν	Lowest monthly % of samples meeting the turbidity limit: 98.33%						constitutes a violation		
,			idiness of water heir filtration sy		e, City Cor	poration	, Atkins a	nd Darc	anelle monit	or it because it is a
			INOR	GANIC CO	ONTAMIN	ANTS				
Contaminant	Violation Lovel Detected Unit MCLG MCL Major Sources in Drinking									

Contaminant	Violation Y/N	Level Detected	Unit	MCLG (Public Health Goal)	MCL (Allowable Level)	Major Sources in Drinking Water				
Fluoride (Dardanelle)	Ν	Average: 0.76 Range: 0.61 - 0.91								
Fluoride (City Corp.)	N	Average: 0.91 Range: 0.66 - 1.04								
Fluoride (Atkins)	Ν	Average: 0.79 Range: 0.63 - 0.99	ppm	4	4	Erosion of natural deposits; water additive which promotes				
Fluoride (Tri-County)	N	Average: 0.70 Range: 0.64 - 0.77				strong teeth				
Fluoride (Danville – both WTP)	N	Average: 0.71 Range: 0 - 1.06								

				INO	RGANIC	CONTA	MINAN	rs (co	ontinu	ied)			
Contaminant		Violation Y/N Level De		Detected Unit		MCLG (Public Health Goal)		Goal)	MCL (Allowable Level)		Major Sources in Drinking Water		
Nitrate [as Nitrogen]		Average: 1.93						. /					
(Dardanelle) Nitrate [as Nitrogen]			Range		ange: 1.76 - 2.30								
(City Corp.)	N		•	0.14		-						unoff from fertilizer use;	
Nitrate [as Nitrogen] (Atkins)	٦	Ν		verage: 0 ange: 0 -		ppm		10		10		leaching from septic tanks, sewage; erosion of natural	
Nitrate [as Nitrogen]	١	N		verage: 0								deposits	
(Danville- combined) Nitrate [as Nitrogen]		Δ		ange: 0 – verage: 0.0									
(Tri-County)	Γ	N		ange: 0 -	0.21		DTADM	ONIT	ODTNO				
Contaminant		Numb	er o	of Sites	EAD AND 90 th Pere	Unit	-	ction		. 6	rces in Drinking Water		
		over Action							evel	-			
Lead (NE Yell Co Water Assn)					<0.003 0.102		ppm		.015 1.3	erosion of natur		usehold plumbing systems; deposits	
Copper (NE Yell Co Water As We are currently or		Ŧ				ppm red to sa		-	very three years for lead and copper at the				
					our last	monitor	ing perio	d in 2	018. (nonitoring period is in 2021.	
• The perceptage of	Total (Trappic	. C 2	rhan (TO			ANIC CA				in 7	018, and all TOC removal	
requirements set b	y USE	PA were	e m	net. TÓC l	nas no he	alth effe	ects. How	vever	, Total	Organic Carbo	n pro	ovides a medium for the	
formation of disinfe	ection I	by-proc	duc	ts. These			lude triha DISINFE			(THMs) and h	aload	cetic acids (HAAs).	
Disinfectant	Viol	lation		Level Det		Unit		DLG	13	MRDL Maio		or Sources in Drinking Water	
Chlorine	Y	(/N		erage: 0.6		Unit	(Public He	ealth Go	oal) (Allowable Level)		er additive used to control	
(NE Yell Co Water Assn)			Rar	ange: 0.09 – 1.65		ppm		4		4		microbes	
		Violati		BY-PROD				TER D		ECTION MCLG		MCL	
Contaminant		Violation Y/N			Level Detecte			Unit		(Public Health Goal)		(Allowable Level)	
HAA5 [Haloacetic Acids] (NE Yell Co Water Assn)				Highest F Range: 4	t Running 12 Month . : 4.1 - 36		Average:	verage:22 ppb		0	0 60		
TTHM [Total Trihalomethanes]		N	Highest Running 12 Mon				Average:	ige: 67 ppb		NA	NA 80		
(NE Yell Co Water Assn) ◆ While only the upper	end o	of the TI	ГНМ	Range: 14.2 - 104 range exceeded the MCL, it should			t should b	e note	ed that	some people who drink water containing		I ink water containing	
Trihalomethanes in e and may have an inc						nay expe	rience pr	oblem	s with	their liver, kidne	eys, o	or central nervous systems,	
	leased	J TISK UI	ye			ULATED	CONTA	MINA	NTS				
Contamin Chloroform	ant				vel Detec e: 13.51	ted	Unit	м	CLG	Majo	or Sou	urces in Drinking Water	
(Dardanelle Water Dept.)				Range: 7.53 – 21.7 Average: 32.7 Range: 11.6 – 53.8			ppb						
Chloroform (Danville Water Deptboth so	ources)							70	By-product	nking water disinfection			
Chloroform (City Corp.)					30.4		660			by produce of e			
Chloroform (Atkins) Chloroform (Tri-County)				27.6									
Bromodichloromethane				Average: 12.62				a a b					
(Dardanelle Water Dept.) Bromodichloromethane				Range: 8.56 - 18.3 Average: 6.0									
(Danville Water Deptboth so		es) Range:		nge: 4.39 - 7.60		ppb	(0	By-product of		f drinking water disinfection		
Bromodichloromethane (Bromodichloromethane (rp.)		4.31 6.86									
Bromodichloromethane (1	,	nty)			2.09								
Dibromochloromethane (Dardanelle Water Dept.)					e: 12.45 8.14 - 18	.8							
Dibromochloromethane (A	bromochloromethane (Atkins)					ppb		60					
Dibromochloromethane (Danville Water Dept- Dale Scott) Bromoform				Average Range:		22				By-product	nking water disinfection		
			Range: 1.02 – 1.22 Average: 4.13			ppb	ppb 0						
 (Dardanelle Water Dept.) Unregulated contant 	ninanto	s are th	ากระ		2.02 - 6. h FPA ha			l drink		ater standards	The	e purpose of unregulated	
contaminant monito	oring is	s to ass	sist	EPA in de	eterminin	g the oc	currence	of un	regula	ted contamina	nts ir	n drinking water and whether	
future regulation is been established fo						aminant	: Levels)	and №	ICLGs	(Maximum Cor	ntami	inant Level Goals) have not	
							ohols						
Contaminant 1-Butanol (UCMR4)		Lev Averac		Detected 3.55		Jnit				ajor Sources in			
(Tri-County)		Range		5 -3.6		ppb			,	od additive and	in pr	oduction of other chemicals.	
Contamina	nt				INDICAT		R HAA F Unit		TION	Major So	urces	in Drinking Water	
Total Organic Carbons (1		JCMR4)		Average:	1.26		ppb		Natu	irally occurring			
(Tri-County)TOC has no health et	ffects	Howey	er		0.73 – 1.79 anic Carbo			ium fo		, 5	nfect	ion by-products.	
			/						3			/	

			Metals					
Contaminant	Level Detected	Unit	Major Sources in Drinking Water					
Manganese (UCMR4) (NE Yell Co Water Assn)	Average: 4.97 Range: 0.9 - 13.0	ppb	Naturally occurring element; commercially available in combination with other elements and minerals; used in steel production, fertilizer, batteries and fireworks; drinking water and wastewater treatment chemical; essential nutrie					
0			HAA Grou		Maine Commente Debaldere Water			
Contamin		Detected	Unit	Major Sources in Drinking Water				
HAA5 (UCMR4) (NE Yell Co Water Assn)		Average: 39. Range: 24.31		ppb				
HAA6Br (UCMR4) (NE Yell Co Water Assn)		Average: 5.9 Range: 3.6 -		ppb				
HAA9 (UCMR4) (NE Yell Co Water Assn)		Average: 44. Range: 30.95		ppb				
Dichloroacetic acid (UCMR (Tri-County)	Average: 18 Range: 3.2 -		ppb					
Monochloroacetic acid (U (Tri-County)	Average: 2.8 Range: 2.4 -	32	ppb					
Trichloroacetic acid (UCM (Tri-County)	R4)	Average: 17 Range: 6.1 -		ppb	By-product of drinking water disinfection			
Monobromoacetic acid (U (Tri-County)	CMR4)	Average: 0.3 Range: 0.3 -		ppb				
Dibromoacetic acid (UCM (Tri-County)	R4)	8	0.40	ppb				
Bromochloroacetic acid (U (Tri-County)	Average: 1.7 Range: 0.3 -		ppb					
Bromodichloroacetic acid (Tri-County)	Average: 1.7 Range: 0.7 -		ppb					
Chlorodibromoacetic acid (Tri-County)	Average: 0.5 Range: 0.4 -		ppb]				
(Tri-County) The Objective of not have health- support future re	the UCMR program i based standards set	Range: 0.4 - is to collect r under the Sa protect publi	- 0.7 national occurr afe Drinking W c health. The	rence data fo /ater Act. Dr	or suspected drinking water contaminants that de rinking water occurrence information is used to enefit from information about whether or not			

This institution is an equal opportunity provider and employer.